

# REFINED EXPERIENCE TOPIC-AWARE TRUST IN SOCIAL NETWORKS

Dinh Que Tran<sup>1</sup> and Phuong Thanh Pham<sup>2</sup>

<sup>1</sup> *Department of Information Technology  
Posts and Telecommunications Institute of Technology (PTIT)*

*Hanoi, Vietnam*

<sup>2</sup> *Department of Mathematics and Informatics  
Thang long University  
Hanoi, Vietnam*

*E-mail: tdque@yahoo.com, ppthanh216@gmail.com*

## Abstract

Trust estimation among peers in social computing is usually interpreted as a function of parameters with interaction experience and some context. In this paper, we model the interaction among peers in factors: familiarity, common interests and degrees of feedbacks. Then we represent the experience topic-aware trust whose computation is based on these factors and the context of topic interests. The proposed computational model is considered as a refinement of our previous interaction based trust computation.

## 1 Introduction

Various models of trust computation, which have been developed in computer science and in social computing, make use of various factors including interaction, relationship among peers, propagation, contexts etc. ([1] [2] [3] [8] [4] [9] [10] [11]). In this paper, we propose a novel model of experience computational trust which is based on factors: (i) Familiarity among users; (ii) Degrees of

---

**Key words:** social networks, models of societies, text processing, decision support, distributed systems, artificial intelligence, reliability.

2010 AMS Mathematics classification: 91D30, 91D10, 68U115, 68U35, 68M14, 68M115, 68T99.

responds given by users; (iii) Common interests in topics. The model is considered as a refinement of experience based trust computation, which has been proposed previously by ourselves ([12]).

The remainder of this paper is structured as follows. Section 2 describes the model of social network, entries and user's interests in their vectorial representations. Section 3 is first devoted to representing user's interaction with familiarity, common interests and degrees of responds. And then we present a formula of experience based topic trust computation, which is inferred from types of the proposed interaction. Section 4 is conclusions.

## 2 Background

This section describes first a graphical representation of social network and hierarchy of peers based on interaction. Then, we present vectorial models of topics and entries based on weights of word frequencies with tf-idf [5].

### 2.1 Social Network

A social network is defined as a directed graph  $\mathcal{S} = (\mathcal{U}, \mathcal{I}, \mathcal{E}, \mathcal{T})$ , in which

- $\mathcal{U} = \{u_1, \dots, u_n\}$  is a set of users, whose elements are autonomous entities being called peers. In this paper, the terms of peer and user are used interchangeably;
- $\mathcal{I}$  is a set of all interactions or connections  $I_{ij}$  from  $u_i$  to  $u_j$ .  $\|I_{ij}\|$  is denoted to be the number of such interactions. Each interaction between users  $u_i$  and  $u_j$  is a transaction at an instant time, which occurs when  $u_i$  sends to  $u_j$  via some "wall" messages such as post, comment, like, opinions etc.
- $\mathcal{E} = \{E_1, \dots, E_n\}$  is the set of entries dispatched by users  $\mathcal{U} = \{u_1, \dots, u_n\}$  respectively, where  $E_i = \{e_{i1}, \dots, e_{in_i}\}$  are entries given by  $u_i$ . Each entry is a brief piece of information dispatched from some user  $u_i$  to make a description or post information/idea/opinions on an item such as a paper, a book, a film, a video etc.
- $\mathcal{T} = \{t_1, \dots, t_p\}$  is a collection of topics, in which each topic is defined as a set of terms or words.

### 2.2 Vectorial Representation of Entries and Topics

We utilize the technique of word frequency *tf* - *idf* for representing vectors of entries and topics (refer to [5] for more detail). Let  $V_T = \{v_1, \dots, v_q\}$  be a

set of  $q$  distinct terms in all  $t_i \in \mathcal{T}$ . A topic vector w.r.t. each topic  $t_i$  is a weighted one, which is defined as follows

$$\mathbf{t}_i = (w_{i1}, \dots, w_{iq}) \quad (1)$$

where  $w_{ik} = tf(v_k, T_i) \times idf(v_k, \mathcal{T})$ ,  $v_k \in V_T$ .

With  $e_{il}$  dispatched by  $u_i$ , an entry vector of w.r.t. topics  $\mathcal{T}$ , briefly topic vector, is a weighted one, which is defined as follows

$$\mathbf{e}_{il}^{\mathbf{t}} = (e_{il}^1, \dots, e_{il}^p) \quad (2)$$

where  $e_{il}^r = tf(v_r, e_{il}) \times idf(v_r, E_i)$ ,  $v_r \in V_T$ .

Suppose that  $E_i = \{e_{i1}, \dots, e_{in_i}\}$  and  $E_j = \{e_{j1}, \dots, e_{jn_j}\}$  are sets of entries dispatched by users  $u_i$ ,  $u_j$ , respectively. Let  $V_{ij}$  be a set of distinct terms occurring in  $E_i$  and  $E_j$ . Entry vectors  $\mathbf{e}_{il}^{\mathbf{i}}$ ,  $\mathbf{e}_{jk}^{\mathbf{j}}$  are defined as follows

$$\mathbf{e}_{il}^{\mathbf{j}} = (e_{il}^1, \dots, e_{il}^{\|V_{ij}\|}), \quad l = 1, \dots, n_i \quad (3)$$

$$\mathbf{e}_{jk}^{\mathbf{i}} = (e_{jk}^1, \dots, e_{jk}^{\|V_{ij}\|}), \quad k = 1, \dots, n_j \quad (4)$$

where  $e_{il}^r = tf(v_r, e_{il}) \times idf(v_r, E_i)$ ,  $e_{jk}^r = tf(v_r, e_{jk}) \times idf(v_r, E_j)$   $v_r \in V_{ij}$ .

Thus, we can define a sequence of topic vectors  $\mathbf{e}_{i1}^{\mathbf{t}}, \dots, \mathbf{e}_{ip}^{\mathbf{t}}$  w.r.t. each entry and a sequence of entry vectors  $\mathbf{e}_{i1}^{\mathbf{j}}, \dots, \mathbf{e}_{in_i}^{\mathbf{j}}$  w.r.t. entries  $E_j$ . These vectors will be utilized for constructing measures of user's similarity and interests, which are presented in the next subsection.

### 2.3 Interest Degrees

We define correlation degrees  $cor(\mathbf{e}_{ij}^{\mathbf{t}}, \mathbf{t}_k)$  among entries  $e_{ij}$  given by  $u_i$  w.r.t. topics  $t_k$  as follows:

$$cor(\mathbf{u}, \mathbf{v}) = \frac{\sum_i (u_i - \bar{u})(v_i - \bar{v})}{\sqrt{\sum_i (u_i - \bar{u})^2} \times \sqrt{\sum_i (v_i - \bar{v})^2}} \quad (5)$$

where  $\bar{u} = \frac{1}{n}(\sum_{i=1}^n u_i)$  and  $\bar{v} = \frac{1}{n}(\sum_{i=1}^n v_i)$ . Since values of the function  $cor(x, y)$  belong  $[-1, 1]$ . We may make use of the function  $f(x) = \frac{(x+1)}{2}$  to bound values of function  $cor(x, y)$  into the unit interval  $[0, 1]$ . It means that instead of the formula given in (5), the following one (6) will be applied in the paper.

$$cor(\mathbf{u}, \mathbf{v}) = \frac{\frac{\sum_i (u_i - \bar{u})(v_i - \bar{v})}{\sqrt{\sum_i (u_i - \bar{u})^2} \times \sqrt{\sum_i (v_i - \bar{v})^2}} + 1}{2} \quad (6)$$

Given a threshold  $0 < \theta \leq 1$ . An entry  $e_{ij}$  is called  $\theta$ -entry w.r.t. topic  $t_k$  if and only if  $cor(\mathbf{e}_{ij}^t, \mathbf{t}_k) \geq \theta$ . The interest degree of  $u_i$  in topic  $t$  is defined by one of the following formulas:

$$intMax(u_i, t) = \max_j (cor(\mathbf{e}_{ij}^t, \mathbf{t})) \quad (7)$$

$$intCor(u_i, t) = \frac{\sum_j cor(\mathbf{e}_{ij}^t, \mathbf{t})}{\|E_i\|} \quad (8)$$

$$intSum(u_i, t) = \frac{1}{2} \left( \frac{n_i^t}{\sum_{l \in \mathcal{T}} n_i^l} + \frac{n_i^t}{\sum_{u_k \in \mathcal{U}, l \in \mathcal{T}} n_k^l} \right) \quad (9)$$

where  $n_i^t$  is the number of  $\theta$ -entries concerned about the topic  $t$  given by  $u_i$ .

For easy presentation, we denote  $intX(u_i, t)$  to be one of the above formulas, in which  $X$  may be *Sum*, *Cor*, *Max*. The interest vector of users in various topics is defined by the formula:

$$\mathbf{u}_i^t = (u_i^1, \dots, u_i^p) \quad (10)$$

in which  $u_i^k = intX(u_i, t)$  is the interest degree of user  $u_i$  in topics  $t_k \in \mathcal{T}$  ( $k = 1, \dots, p$ ),  $X$  may be *Sum*, *Max*, *Cor* as defined in Formulas (7), (8), (9). The definition of vectors with interest degrees is utilized for constructing the similarity of users which is considered in the next section.

### 3 Refined Experience Topic-aware Trust

This section is devoted to investigating the refinement of representation of the experience topic trust which has been proposed by ourselves (refer to [5] [6] [7] for more detail). We concentrate first on constructing formulas for representing the degrees of familiarity, common interests and responds among users. Then by means of the representation, we reformulate the estimation of experience topic trust.

#### 3.1 Familiarity and Common interests

**Definition 1.** Let  $I_{i \rightarrow} = \{u_j \mid \text{There is an interaction from } u_i \text{ to } u_j\}$ . The degree of familiarity of two peers  $u_i$  and  $u_j$  is defined as follows:

$$famil(u_i, u_j) = \frac{\|I_{i \rightarrow} \cap I_{j \rightarrow}\|}{\|I_{i \rightarrow} \cup I_{j \rightarrow}\|} \quad (11)$$

**Definition 2.** Let  $T_i^\theta = \{t \mid t \in \mathcal{T}, \text{int}X(u_i, t) \geq \theta\}$ , where  $\theta > 0$  is a given threshold. The degree of common interests of  $u_i$  and  $u_j$  is defined as follows

$$\text{comInt}(u_i, u_j) = \frac{\|T_i^\theta \cap T_j^\theta\|}{\|T_i^\theta \cup T_j^\theta\|} \quad (12)$$

**Definition 3.** Given  $I_{i \leftarrow j}^{\text{resp}}$  be a set of all responds from  $u_j$  to  $u_i$ , where a respond is a feedback from  $u_j$  when receiving a message dispatched from  $u_i$ . The degree of responds of  $u_j$  to  $u_i$  is defined as follows

$$\text{respond}(u_i, u_j) = \frac{\|I_{i \leftarrow j}^{\text{resp}}\|}{\|\bigcup_k I_{k \leftarrow j}^{\text{resp}}\|} \quad (13)$$

### 3.2 Refined Topic-aware Experience Trust

**Definition 4.** A function  $\text{trust}_{\text{topic}} : \mathcal{U} \times \mathcal{U} \times \mathcal{T} \rightarrow [0, 1]$  is called a topic trust measure, in which  $[0, 1]$  is an unit interval of the real numbers, if and only if it satisfies the following condition:

$$\text{int}^X(u_j, t_1) \geq \text{int}^X(u_j, t_2) \Rightarrow \text{trust}_{\text{topic}}(u_i, u_j, t_1) \geq \text{trust}_{\text{topic}}(u_i, u_j, t_2) \quad (14)$$

Then, given a source peer  $u_i$ , a sink peer  $u_j$  and a topic  $t$ , the value  $\text{trust}_{\text{topic}}(i, j, t) = u_{ij}^t$  means that  $u_i$  (truster) trusts  $u_j$  (trustee) of topic  $t$  w.r.t. the degree  $u_{ij}^t$ .

**Definition 5.** Refined experience trust of user  $u_i$  on user  $u_j$ , denoted  $\text{trust}^{\text{Rexp}}(i, j)$ , is defined by the formula

$$\text{trust}^{\text{Rexp}}(i, j) = \alpha \times \text{famil}(i, j) + \beta \times \text{comInt}(i, j) + \gamma \times \text{respond}(i, j) \quad (15)$$

where  $\alpha, \beta, \gamma \geq 0$ ,  $\alpha + \beta + \gamma = 1$ .

**Definition 6.** Suppose that  $\text{trust}^{\text{Rexp}}(i, j)$  is the refined experience trust of  $u_i$  on  $u_j$ ,  $\text{int}X(j, t)$  is the interest degree of  $u_j$  on the topic  $t$ . Then the refined experience topic-aware trust of  $u_i$  on  $u_j$  of topic  $t$  is defined by the formula:

$$\text{trust}_{\text{topic}}^{\text{Rexp}}(i, j, t) = \lambda \times \text{trust}^{\text{Rexp}}(i, j) + \mu \times \text{int}X(j, t) \quad (16)$$

where  $\lambda, \mu \geq 0$ ,  $\lambda + \mu = 1$ .

**Proposition 1.** The refined experience topic-aware trust  $\text{trust}_{\text{topic}}^{\text{Rexp}}(i, j, t)$  of  $u_i$  on  $u_j$  of topic  $t$ , which is defined by the formula (16), is a topic trust measure.

## 4 Conclusions

In this paper, we have introduced a novel method of experience trust estimation which is constructed from degrees of interaction of peers. Being evolved from our previous work, the degree of interaction is identified by means of three factors: common interests, familiarity and respond. We are also currently performing experimental evaluation and comparing with other models of trust computation in social network. The research results will be presented in our future work.

## References

- [1] J. Tang et al., *Social Influence Analysis in Large-scale Networks*, Conference KDD09, June 28, 2009
- [2] Bingoi et al., Topic-Based Influence Computation in Social Networks under Resource Constraints, *IEEE Transactions on service computing*, Vol. PP, No. 99, 2018.
- [3] Ju Fan et al., OCTOPUS: An Online Topic-Aware Influence Analysis System for Social Networks, *IEEE 34th International Conference on Data Engineering (ICDE)*, 2018. Available at: <https://ieeexplore.ieee.org/document/8509399>
- [4] Kan Li et l., Social Influence Analysis: Models, Methods, and Evaluation, *Engineering 4* (2018) 4046
- [5] Dinh Que Tran, Computational topic trust with user's interests based on propagation and similarity measure in social networks, *Southeast-Asian J. of Sciences*, **7**(01) 2019 pp. 18-27.
- [6] Dinh Que Tran and Phuong Thanh Pham, Integrating interaction and similarity threshold of user's interests for topic trust computation, *Southeast-Asian J. of Sciences*, **7**(01), 2019, pp. 28-35.
- [7] Dinh Que Tran, Phuong Thanh Pham and Thi Hoi Nguyen, Modeling User's Interests, Similarity and Trustworthiness based on Vectors of Entries on Social Networks, *Southeast Asian Journal of Sciences*, **8**(02), 2019, pp. 133-141.
- [8] David Crandall, Dan Cosley et al. Feedback effects between similarity and social influence in online communities, *KDD'08*, 2008, USA.
- [9] Vedran Podobnik et al. How to calculate trust between social network users? In *Software, Telecommunications and Computer Networks (SoftCOM)*, 20th International Conference on, p.1–6. IEEE, 2012.

- [10] Chung-Wei Hang et al., Operators for Propagating Trust and their Evaluation in Social Networks, Proc. of 8th Int. Conf. on Autonomous Agents and Multiagent Systems (AAMAS), 2009
- [11] Wanita Sherchan, Surya Nepal, and Cecile Paris. *A survey of trust in social networks*. ACM Comput. Surv., 45(4):47:1–47:33, August 2013.
- [12] Phuong Thanh Pham, Dinh Que Tran, *Incorporation of Experience and Reference-Based Topic Trust with Interests in Social Network*, Advances in Intelligent Systems and Computing 538, Springer, 2017, M. Akagi et al. (eds.).
- [13] Dinh Que Tran, Phuong Thanh Pham, Path Algebra for topic trust computation based on references of users on social networks, Southeast-Asian J. of Sciences, Vol. 5, No. 1 (2017) pp. 1-8.
- [14] Dinh Que Tran. *Classes of functions for topic trust propagation in social network*. Southeast Asian Journal of Sciences, 6(2), 2018.